

WinDoor, Inc.
 7500 Amsterdam Drive
 Orlando, FL 32832
 Attn: Customer Care
 Phone: (407) 481-8400



JS #: CCR:

Box above for WinDoor Use Only

JOB SPECIFIC REQUEST for WINDOWS, DOORS and MULLIONS

Please fill out this form completely and submit an electronic copy (no handwritten or scanned copies will be accepted) to ensure a timely response (mailed within 10 business days). Requests submitted without design pressures will not be processed. If design pressures are not known, please contact a local Architect or Engineer, or if your local building authority allows, use methods outlined in Chapter 16 of the Florida Building Code, Building for commercial buildings or Chapter 3 of the Florida Building Code, Residential for residential buildings. Responses to this form will be sent to our customers only. Generally, job specific engineering is readily accepted statewide outside of Dade and Broward counties. Projects in Dade County are limited to approved options within the NOA documentation. Please consult with the building authority having jurisdiction over the job location for acceptance of job specific engineering.

Distributor Number: _____ Distributor Name: _____ Distributor Contact: _____ Date of Request: _____

Distributor Address: _____ City: _____ State: _____ Zip: _____ Phone: _____ Email: _____

Job Name: _____ Job Address: _____ City: _____ State: _____ Zip: _____

Quote #: _____ Notes: _____ Test Standard: TAS (HVHZ) AAMA/ASTM

Please fill out the product table below as shown in the example

#	WinDoor Series	Size ¹		Configuration	Glass Type	Frame Type	Anchor Type(s)	Substrate(s)	Impact ²	Design Pressures ³	
		Width / Mull Opening	Height / Mull Length							Pos (+)	Neg (-)
ex	SGD8100 (Reinforced)	121	118	XX	1" LIG (3/16 T - 3/8 - 7/16 H/H .090 SG)	Equal Leg	#12 SMS / 1/4" Ultracon	18 ga-33 ksi Steel / UngROUTED CMU	L	49.7	60
1											
2											
3											
4											
5											
6											
7											
8											
9											
10											
11											
12											
13											
14											

¹ For Mullions, show the Opening Width or Opening Height under Mull Opening and Mull Length under Mull Length. (See Mullion approval for reference)

² Indicate "L" for large missile impact, "S" for small missile impact, or "N" for non-impact

³ List Allowable Stress Design (ASD) Pressures, NOT Ultimate Design Pressures. (Allowable = Ultimate x .60)